

Shaping the future of Fire Protection



PRODUCT CATALOG

www.kanexfire.com


WHERE TO USE?

- An extinguisher is a First-aid device which is used against the critical situations of fire only. There is no chance for testing the
 device while fire is going on, that's why the device must be totally reliable and user friendly.
- When it comes to application, Fire equipment needs to be identifiable, handy and appropriate for the property it is intended to protect.
- But good fire protection is about more than just having the right devices in the right places, also requires rigorous monitoring to ensure that it will perform effectively when needed.
- Everyone should be familiar with the picture symbols which identify the types of fires on which they may be used. As listed below.
- The symbol diagonal red slashes indicates a potential danger if the extinguisher is used on that particular type of fire.
- Absence of a type symbol means only that the extinguisher is not recommended as particularly effective for that classification of fire.



HOW TO USE?

- "KANEX" provides you a valuable user manual which contains very much needed information like how to use, install and maintenance of an extinguisher.
- The Label affixed on extinguisher body contains specific information of "HOW TO OPERATE" the particular extinguisher.
- The label instruction will change according to size and type of extinguisher.
- Every one should be aware of Instructions provided on Extinguishers.







DRY CHEMICAL POWDER TYPE

FIRE EXTINGUISHER SERIES

KANEX Dry Powder fire extinguishers are characterized by their high performance, simple method of operation and rapid-fire knock down capability. They are suitable for tackling fires involving freely burning materials, petrol & oils, gas & electrical equipment.















Wood working area



DRY CHEMICAL PORTABLE EXTINGUISHERS

CARTRIDGE OPERATED

FEATURES

- Class A/B/C and electrical Fire: MAP powder.
- Class B/C and electrical Fire: SBC/PBC/MAP powder.
- BIS Approved and ISI marked.
- Brass chrome plated valve- squeeze operation.
- Rugged cartridge type
- Hydraulically tested as per standard with anti-corrosive treatment.
- UV Resistant High quality Pure Polyester (PP) powder coating.
- EPDM Rubber braided hose High flexibility and less prone to cracks.
- Easy to maintain, recharge & service.
- Large loop Stainless steel Pull pin.

















PERFORMANCE DATA

MODEL (BC POWDER)	KFDRQ-4-S KFDRQ-4-P	KFDRO-6-S KFDRO-6-P	KFDRQ-9-S KFDRQ-9-P
MODEL (MAP POWDER) (RQ Series)	KFDRQ-4-50% KFDRQ-4-90%	KFDRQ-6-50% KFDRQ-6-90%	KFDRQ-9-50% KFDRQ-9-90%
MODEL (HQ Series)	KFDHQ-4-UL90%	KFDHQ-6-UL90%	KFDHQ-9-UL90%
Capacity	4 kg	6 kg	9 kg
Design	Hose & Nazzle	Hose & Nozzie	Hose & Nozzle
Fire Rating (SBC / PBC) (RQ: Only)	1838	1938	233B
Fire Rating (MAP-50%) (RQ Only)	3A : 89B	4A: 144B	6A: 1838
Fire Rating (MAP-90%) (RQ & HQ)	4A : 144B	6A : 1838	6A: 2338
Fire Rating (As per EN) (HQ Only)	13A : 89B	27A : 183B	43A : 2336
Height (Approx)	610 mm	540 mm	585 mm
Diameter (Approx)	140 ± 5 mm	150 ± 5 mm	180 ± 5 mm
Average Discharge time	18 Sec	24 Sec	31 Sec
Average Range of throw	3 m	5 m	6 m
Average % Discharge	94%	94%	94%
Operating Temperature	-30 °C to +60 °C		
Service/Max. service/Test Pressure	16 / 18 / 35 bar		
Expelling Agent	CO2 Gas		
CO2 Gas Cartridge	120 gm	120 gm	200 gm
Empty/Full/Shipping Weight (Aprx.)	4 / 8 / 8.3 kg	4.3 / 10.3 / 10.6 kg	6.3 / 15.3 / 15.8 kg
Packing Standard	Corrugated Box		
Mounting Brocket	Wall Bracket		
Approvais	BIS (RQ Series) / BIS & CE (HQ Series)		

Designed, Manufactured & Marketed by: KANADIA FYR FYTER PVT. LTD.

An Iso 9001:2015 certified company

HEAD OFFICE:

Office No.502, 5th Floor, A wing. Damji Shariji Corporate Square, Ghalkopar -Andheri Link Road. Laxmi Nagar, Ghalkopar (E) - 400 075

WORKS:

Kanadia Fyr Fyter Pvt.Ltd. Plot No.7-8 Paras Industrial, Estate Nr.Garibsha Pir, Sihor-364240, Dist. Bhavnagar(Gu)