# KANEX®

Shaping the future of Fire Protection



www.kanexfire.com


#### WHERE TO USE?

- An extinguisher is a First-aid device which is used against the critical situations of fire only. There is no chance for testing the
  device while fire is going on, that's why the device must be totally reliable and user friendly.
- When it comes to application, Fire equipment needs to be identifiable, handy and appropriate for the property it is intended to protect.
- But good fire protection is about more than just having the right devices in the right places, also requires rigorous monitoring to ensure that it will perform effectively when needed.
- Everyone should be familiar with the picture symbols which identify the types of fires on which they may be used. As listed below.
- The symbol diagonal red slashes indicates a potential danger if the extinguisher is used on that particular type of fire.
- Absence of a type symbol means only that the extinguisher is not recommended as particularly effective for that classification
  of fire.



## **HOW TO USE?**

- "KANEX" provides you a valuable user manual which contains very much needed information like how to use, install and maintenance of an extinguisher.
- The Label affixed on extinguisher body contains specific information of "HOW TO OPERATE" the particular extinguisher.
- The label instruction will change according to size and type of extinguisher.
- Every one should be aware of Instructions provided on Extinguishers.







## **CARBON DIOXIDE TYPE**

## FIRE EXTINGUISHER SERIES

KANEX CO2 fire extinguishers are characterized by their high performance for fires involving an electrical rick like computers, office equipment and generators etc. CO2 is non-conductive, clean and safe, ensuring minimal damage to electrical equipment and furnishings.



Chemical Manufacturing Plant



Oil Ring



Warehouses



Airport



Construction sites



Laboratories



# CO<sub>2</sub> MOBILE EXTINGUISHERS

#### **FEATURES**

- Carbon Di Oxide is Colorless, Odorless, Non Toxic and provides rapid knockdown of industrial fires.
- BIS Approved and ISI marked
- CCOE/PESO approved cylinder body and confirms to IS:7285
- High grade enamel painted externally with PO Red finish
- Wheel Operated Controlled discharge
- High pressure Brass valve confirms to IS:3224 which provided with pressure relief disc
- Rechargeable and easy to service
- Non conductive agent for electrical use without risk to operator
- CO<sub>2</sub> gas disappears quickly leaving no residue
- Wire Braided Hose & Flat Horn with Diffuser Nozzle for dispersed discharge of Carbon Di Oxide
- Conformity standard IS 16018:2012











#### PERFORMANCE DATA

MODEL (WHEEL TYPE VALVE)	KFCRQ-6.5	KFCRQ-9	KFCRQ-22.5
Capacity	6.5 kg	9 kg	22.5 kg
Design	Hose & Horn	Hose & Horn	Hose & Horn
Fire Rating	55B	55B	89B
Height (Approx)	960 mm	1250 mm	1155 mm
Diameter (Approx)	140 ± 10 mm	140 ± 10 mm	232 ± 10 mm
Average Discharge time	20 Sec	30 Sec	35 Sec
Average Range of throw	3 m	3 m	4 m
Average % Discharge	96%	96%	96%
Operating Temperature	-30 °C to +55 °C		
Service/Max. service/Test Pressure	60 / 105 / 250 bar		
Empty Weight (Approx.)	16.5 or 18.5 kg	25 or 26 kg	61.5 or 63.5 kg
Full Weight (Approx.)	23 or 25 kg	34 or 36 kg	84 or 86 kg
Shipping Weight (Approx.)	24 or 26 kg	35 or 37 kg	85 or 87 kg
Packing Standard	Corrugated paper & Jute Bags		
Approval	BIS		

# Designed, Manufactured & Marketed by: **KANADIA FYR FYTER PVT. LTD.**

An Iso 9001:2015 certified company

#### **HEAD OFFICE:**

Office No.502, 5th Floor, A wing, Damji Shamji Corporate Square, Ghatkopar -Andheri Link Road, Laxmi Nagar, Ghatkopar (E) - 400 075

#### WORKS:

Kanadia Fyr Fyter Pvt.Ltd.
Plot No.7-8 Paras Industrial, Estate Nr.Garibsha Pir,
Sihor-364240, Dist. Bhavnagar(Guj)

marketing@kanexfire.com | www.kanexfire.com Presence at - PAN INDIA